



A Division of Manakz Corporation

## ***Machine Quotation and Specification Model MSP-1218***



### **Standard MSP Series Skin Packaging Machine**

#### **At a glance:**

- ★ **Entry Level Table Top Model Skin Packaging Machine for 12" x 18" skin cards**
- ★ **Use for retail carded packaging or shipping containment**
- ★ **Energy saving Impulse Heating instant-on quartz heater system**
- ★ **Uses standard 20" wide skin packaging film**
- ★ **115 volt and 220 volt models available**

Some photos may show accessories not part of basic machine. Specifications & Designs may change without notice

Your **ultimate** source for packaging materials & equipment

### **HSA PACKAGING SYSTEMS**

21500 Blythe Street, Canoga Park, CA 91304  
Tel: (818) 712-0100; Toll Free: (800) 326 5937 ; Fax: (818) 712-0470  
Email: sales@hsapackaging.com; Web: www.hsapackaging.com



A Division of Manakz Corporation

# Skin Packaging Machines Model MSP-1218 Quotation & Specification

## Standard Features:

- ★ Cycle start button
- ★ Emergency STOP push button
- ★ Heater timer
- ★ Vacuum timer
- ★ Tubular quartz heater system
- ★ Manual film clamping frame
- ★ Turbine vacuum system
- ★ Compressed air not required
- ★ Double roll support for film
- ★ Uses standard 20" wide film
- ★ Easy access to machine for maintenance
- ★ Painted steel construction
- ★ CSA / UL certified
- ★ Steel components painted blue color

Specifications:	
Electrical ( <i>customer to specify</i> ):	115 Volts / 1 PH / 15 Amps or 220 Volts / 1 PH / 10 Amps
Control:	115 Volts AC
Heating system:	115 Volt models, tubular quartz 1.6 KW 220 Volt models, tubular quartz 3.1 KW
Vacuum system:	1 Turbine @ 100 cfm
Maximum card size:	12" x 18"
Film width max / min :	20.5" / 20.0"
Maximum film roll diameter:	10"
Maximum product height:	8"
Cycle times:	Variable 30-60 seconds
Approximate dimensions:	27"W. x 28"D x 23"H
Working Height:	Determined by table height
Approximate weight:	60 LB.

Some photos may show accessories not part of basic machine. Specifications & Designs may change without notice

Your **ultimate** source for packaging materials & equipment

## HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304  
 Tel: (818) 712-0100; **Toll Free: (800) 326 5937** ; Fax: (818) 712-0470  
 Email: [sales@hsapackaging.com](mailto:sales@hsapackaging.com); Web: [www.hsapackaging.com](http://www.hsapackaging.com)




A Division of Manakz Corporation

# Skin Packaging Machines Model MSP-1218 Quotation & Specification

Machine Floor Plan:

E=Electrical Connection



## Description:

The MSP Series skin packaging machines are designed for low volume applications. They incorporate a stationary heating system with instant on/off heaters, which come up to heat instantly during cycles and turn off for loading/unloading. The MSP skin packaging machines have timer control for precision repeatability and an accurate turbine regulator. The MSP Series is available in the standard size 12 inches by 18 inches. For larger machines with additional automation and higher levels of production please consider our SP, SP/IR, ASP and ASP/IR Series.

Some photos may show accessories not part of basic machine. Specifications & Designs may change without notice

Your **ultimate** source for packaging materials & equipment

## HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304  
Tel: (818) 712-0100; Toll Free: (800) 326 5937 ; Fax: (818) 712-0470  
Email: sales@hsapackaging.com; Web: www.hsapackaging.com



A Division of Manakz Corporation

# Skin Packaging Machines Model MSP-1218 Quotation & Specification

## Operation:

The operator places the master card directly on the machine vacuum box, loads product, and depresses the cycle start button to initiate the heater timer. At the end of the cycle the vacuum timer starts the vacuum turbine and the operator lowers the film clamping frame. Once the skin packaging cycle is complete the operator releases the latches, opens the film clamping frame and pulls the finished master skin card forward and re-closes the frame. The finished skin card is slit from the film frame by the operator and the film frame is returned to the preheat position. A new section of film has automatically been loaded into the clamping frame during this process. The finished skin card is now ready for die cutting, if necessary, on one of our **RP Series** roller die cutters.

## Price:

MSP-1218: ..... \$3,650.00 US

*Prices and specifications are subject to change without notice.*

*HSA would be pleased to evaluate your needs for **custom machines and features**. Our engineering and production departments are structured to be responsive to specific client requirements. Contact HSA for all of your Blister Sealing, Clamshell Sealing, Food Tray Sealing, Skin Packaging, Die Cutting and Thermoforming Machine requirements.*

Some photos may show accessories not part of basic machine. Specifications & Designs may change without notice

Your **ultimate** source for packaging materials & equipment

## **HSA PACKAGING SYSTEMS**

21500 Blythe Street, Canoga Park, CA 91304  
Tel: (818) 712-0100; Toll Free: (800) 326 5937 ; Fax: (818) 712-0470  
Email: sales@hsapackaging.com; Web: www.hsapackaging.com